

SERVICE WARRANTY

FOREWORD

Thank you for purchasing a Jayco Recreational Vehicle (RV). Using the finest materials available, your Jayco RV has been carefully designed, engineered and manufactured by our team for your enjoyment and safe journey.

We recommend that shortly after delivery of your Jayco, you take the time to check all internal and external fixtures and promptly report any query to your dealer.

Jayco does not approve, authorise or provide advice on any after manufacture alterations to your RV. Please note that such alterations may affect your warranty and the RV's compliance to applicable laws and regulations.

Holidays in a Jayco RV inspire relaxation, exploration and adventure so please remember to take care to look after our vast and beautiful country for everyone to enjoy.

We wish you many years of enjoyment and pleasure in your new Jayco.

CONTENTS



Handover4
Your Jayco Support Network6
Customer Relations7
Jayco Roadside Assist8
Jayco Owners Clubs10
Warranty11
StructuralWarranty14
Your Jayco Identification20
Scheduled Service - 3 Key Areas21
1,000km/3-month service23
10,000km/12-month service27
20,000km/24-month service34
30,000km/36-month service41

40,000km/48-month	service	1
50,000km/60-month	service5	5
Change of Ownership	Details	5

HANDOVER

To ensure you get the most out of your new Jayco, it is Operation of the air conditioner important you understand all aspects of the RV. Jayco Operation of the Gas Heater dealerships are well equipped to make this possible. Operation of the stereo system Operation of the TV and TV points This section covers the items your dealer will run through Operation of the wind-up antenna Operation of the range hood with you. Satellite Dish (if fitted) **TOWING & CHASSIS OPERATION** Washing Machine Hitching and connecting chains ESC operation and fault lights (if fitted) 12V ELECTRICAL (WHERE APPLICABLE) Tow Secure system (if fitted) Operation of the 12v Control panel Operation of the corner steadies Operation of the charging system Location and operation of the Jack points and jack Understanding of the Solar Panel and regulator Understanding of the VIN plate and towing weights & Operation of the lighting system maximum loads carry capacity 240V ELECTRICAL **MAJOR APPLIANCES (WHERE APPLICABLE)** Connecting 240v Power lead to RV Operation of HWS on Gas and 240v Location of the Circuit Breaker Operation of cooker on Gas and 240v Location and operating power points within the RV Operation of Fridge on Gas, 240v and 12v Location of 240v power outlet / Inlets Operation of microwave

HANDOVER

☐ Setting up of the bed converter



PLU	JMBING SYSTEM (WHERE APPLICABLE)
	Connecting Main pressure hose to the RV
	Operation of the 12v Pump
	Operation of filling the on-board water tanks
	Operation of the toilet system and appropriate chemicals
	Operation of the Slide Out system (if fitted)
	Awareness of the external surrounding when operating
FUI	RNITURE
	Operation of the internal door locking buttons prior to travel
МО	DEL SPECIFIC AREAS (WHERE APPLICABLE)
	Awning Operation
	Operation of the winch wind up system and complete set up of the Camper trailer
	Operation and complete set up of the Pop Top Roof
	Operation and complete set up of the Expanda Bed
	Operation and complete set up of the Electrical Bed

DCELLANEOUS
Operation of windows and blinds
Operation of roof hatches
Explanation of the keys provided
Jayco Warranty and Service Handbook explained
Roadside assistance explained
Third Party warranty explained
Servicing Requirements
ACKNOWLEDGMENT OF HANDOVER
ACKNOWLEDGMENT OF HANDOVER
JARSA:
JARSA:
JARSA: Customer Name:
JARSA: Customer Name: Customer Signature:
JARSA: Customer Name: Customer Signature: Date:
JARSA: Customer Name: Customer Signature: Date:

MISCELLANEOUS

YOUR JAYCO SUPPORT NETWORK

Our Jayco Authorised Repair and Service Agents (JARSA) are best equipped to carry out maintenance and repairs on your Jayco because:

- **1.** They have highly qualified technicians that attend regular training sessions at Jayco's state of the art manufacturing facility in Dandenong South, Victoria.
- **2.** They have specially designed tools and equipment to service and repair your Jayco correctly and in a timely manner.
- **3.** Jayco authorised agents are provided with the latest technical information and repair instructions about your new Jayco. They also have designated customer service staff who they can contact at any time during husiness hours.

Your JARSA can also help you with many other matters relating to your Jayco, such as:

- Aftermarket accessories
- Caravan and Camping equipment
- Spare parts
- Servicing

With over 100 Jayco authorised agents nation-wide, our support network is the most comprehensive in the Caravan Industry. However, to avoid any delays with your next holiday, we recommend directly contacting your local JARSA to schedule a service appointment.

For your nearest Jayco Dealer or Service Agent, click on the 'Find a Dealer' link at www.jayco.com.au and enter your postcode.

CUSTOMER RELATIONS



Jayco is committed to maintaining superior customer relations. Your complete confidence and satisfaction in our product and services assures our continued success as a manufacturer. Our commitment to technical excellence is one aspect of our strategy for fostering an ongoing, mutually rewarding relationship with all Jayco customers through our extensive dealer network.

Your authorised JARSA will cordially assist you by providing service, maintenance, selection of options and instructions concerning the operation of your Jayco.

Most enquiries arise from misunderstandings concerning warranty and service, and are usually resolved by the repair network and where required, the JARSA will obtain advice from Jayco. If you are not satisfied with the assistance you receive from any JARSA, could you please contact our customer service department:

JAYCO

Customer Care Manager
PO Box 636, Dandenong Victoria 3175
Phone (03) 8792 2136 | Toll Free 1800 331601
Email info@jayco.com.au | Website www.jayco.com.au

INSURANCE

As with your motor vehicle, it is important that you protect yourself and others with insurance coverage for personal liability, theft, collision, property damage, etc. Your local JARSA can assist you in obtaining specialised caravan insurance. Please note that exceeding the load limit of your Jayco, and/or towing vehicle, above the manufacturer's recommended maximum weight may invalidate your insurance cover.

JAYCO ROADSIDE ASSIST

All new Jayco RVs now come with 3 years of Jayco Roadside Assist (excluding the Adventurer range), please note this is not a transferrable item and applies to the original owner of the RV only.

- ☐ Jayco Roadside Assist^ provides emergency roadside support for your RV 24 hours a day 365 days a year.
- ☐ Jayco Roadside Assist is the sole specialised provider of emergency roadside support to RV's across Australia*.
- □ When you are enjoying the freedom of touring, you can be reassured that roadside assistance is only a phone call away to support you in an emergency on the road.

The following outlines the services available to you under the Jayco Roadside Assist Program, designed to provide you with basic roadside support services in an emergency involving your RV.

FLAT TYRE

We will arrange a service provider to change your flat tyre using your RV's spare wheel. Where your spare wheel is suitable and is used, you will be reimbursed by Jayco Roadside Assist up to a maximum benefit of \$150 including GST for the cost of the service provider's call out. Any additional costs (for example, replacement of tyres, tubes and valves) are at your own expense and responsibility.

LOCKOUT / LOST KEYS

If the keys to your RV are inadvertently locked inside your unit or lost we will provide emergency support by arranging a service provider to attend and either: Assist you in locating a spare key or assist you in gaining emergency access to your RV You will be reimbursed to a maximum benefit of \$160 including GST for the cost of the service provider's call out. Any additional costs are at your own expense and responsibility.

JAYCO ROADSIDE ASSIST



EMERGENCY TOWING

If a fault with your Jayco causes it to be immobilised, we will arrange for your RV to be towed by a service provider to the nearest suitable repairer. You must be in attendance at your RV to assist and advise the service provider. In the event your RV is unattended, further service calls may be required which will be at your expense.

You will be reimbursed by Jayco Roadside Assist for emergency towing costs up to a maximum benefit of \$1,000 including GST per incident. Any additional towing and transport costs will be at your own expense and responsibility.

You will also be responsible for the cost of any repairs to your RV as a result of the immobilisation.

ACCOMMODATION

If you cannot access your RV unit due to it being stored in a workshop awaiting repairs following an

incident, you will be reimbursed by Jayco Roadside Assist up to a maximum benefit of \$200 including GST towards accommodation costs for any single event. Any additional accommodation costs (including meals) are at your own expense and responsibility. For Roadside Assistance for emergency support of your RV, please **call 1300 772 153**.

- ^ Not available in New Zealand
- * Excluding motorised product (these vehicles are covered by the vehicle manufacturer / importer independent roadside assist program).

JAYCO OWNERS CLUBS

Become a part of the Jayco
Community. If you're looking
for some like-minded folk that
appreciate the freedom of the RV
Lifestyle, then look no further. Your
local Jayco owner's club is listed
helow.

VIC

Jayco Owners Club of Victoria Inc. www.jaycoclubvic.com.au

NSW

Jayco Owners Club of Hunter Region www.jaycoownershunter.org

Jayco Owners Club Southern (NSW) www.caravanclubsnsw.asn.au/ Clubs/jayco southern

Jayco Owners Club of NSW Inc

www.jaycoclubnsw. caravanclubsnsw.asn.au

OLD

Jayco Owners Club of S.E QLD www.jaycoownersclubseq.com.au

SA

Jayco Caravan Club of SA www.jaycoclubsa.asn.au

Jayco Jaybirds www.jaycojaybirds.com.au

WA

The West Coast Jayco Club www.westcoastjaycoclub.com

Jayco Owners Club of WA

www.jayco.com.au/lifestyle/ owners-club

Jaybird Road Runners Caravan Club

www.jayco.com.au/lifestyle/ owners-club

TAS

Jayco Owners Club of TAS

www.jayco.com.au/lifestyle/ owners-club

ACT

Jayco Owners Club of ACT www.jacoact.org

For more information regarding Jayco Owners clubs, head to www.jayco.com.au



Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

Jayco Corporation Pty Ltd (ABN 005 266 991) ("Jayco") provides the following warranty in relation to its recreational vehicles and other units ("RV"). The benefits of this warranty are in addition to any rights and remedies imposed by Australian State and Federal legislation that cannot be excluded. Nothing in this warranty is to be interpreted as excluding, restricting or modifying any State or Federal legislation applicable to the supply of goods and services which cannot be excluded, restricted or modified.

Jayco warrants to the original purchaser of every RV that all parts of our manufacture are free from defects in material and workmanship for a period of 24 MONTHS from date of purchase under normal use and specified service, except for the items listed under "What is not covered" and subject to compliance with the section entitled "What must you do". The original manual roof lifting winch installed in a Jayco camper trailer carries a lifetime warranty for the original purchaser only (this is not transferrable to a subsequent owner).

Under this warranty, if any part of your RV is proven to be defective in material or workmanship during the 24-month warranty period Jayco will, at its sole discretion, either: Replace or repair the RV or the defective part of the RV, or cause the RV or defective part of the RV to be replaced or repaired by a Jayco dealer or authorised repairer.

Warranty repair or parts replacement will be performed free of charge by a JARSA at its place of business within a

reasonable time after delivery of the RV to the dealer or repairer during normal business hours. Where an on-site repair is requested, and such service is available, a service call fee is applicable at the expense of the owner. Under this warranty no re-imbursements will be made for work done through unauthorised establishments without prior written consent from Jayco.

Jayco reserves the right to make RV changes and improvements without notice and without liability. Jayco has no obligation for warranty purposes to install the same components originally supplied, and where it is appropriate to do so shall instead install or supply current components of similar quality, grade and composition.

Goods presented for repair may be replaced by refurbished goods of the same type rather than being repaired. Refurbished parts may be used to repair the goods.

LIMITATIONS

Please specifically note that no individual (including any dealer, agent or representative of Jayco) is authorised to make any representation or warranty concerning Jayco or its RVs, except to refer the purchaser to this 24-month warranty. Jayco makes no express warranties or representations other than set out in this warranty. The repair or replacement of the RV or part of the RV is the absolute limit of Jayco's liability under this warranty.

WHAT IS NOT COVERED

- Jayco's RVs have been designed for recreational use and not for permanent residential purposes. When used for permanent living possible premature wear and tear is not covered under this warranty.
- All Jayco Touring RVs are designed and built to be towed by standard passenger vehicles including standard 4WD passenger vehicles. Jayco will not warrant the RV if it is towed behind commercial trucks of any kind due to the harsh suspension that is used to carry weight, not for towing.



- This warranty does not apply to any RV that has been subject to misuse, neglect or accident.
- This warranty shall not apply to normal maintenance items which are the owner's responsibility, such as greasing wheel bearings, tightening wheel nuts. This also applies to the routine cleaning of filters such as in air conditioners and water pumps.
- Fabric items such as canvas, canopies, windows screenings, vinyl windows, cushion and mattress covers are not warranted against tears, punctures, shrinkage, softening, fading or soiling but are warranted only against defective workmanship and material.
- Damage caused to tent sections, curtains or plywood finish by condensation being left untreated is not covered
- The deterioration of sealants over time is not covered.
- This warranty does not apply to any defect in the aesthetics or physical appearance of the RV, or to

- normal deterioration of the soft trim and appearance items due to wear and UV exposure nor to impact damage whether static or in transit.
- Any alternate accommodation costs whilst repairs are undertaken.
- Damages or failures resulting from the following are also not covered by Jayco warranty:
- After Manufacture Alterations: Jayco does not approve
 of or authorise alterations to the RV. Consequently,
 Jayco doesn't provide advice on proposed alterations.
- Repairs and additions that are not authorised by Jayco.
- · Accident, theft or fire.
- Stone strike, hail, windstorm, lightning, external fire or unusual environmental conditions.
- Incursions by vermin and other pests
- Axle alignment and toe in adjustments will only be considered for warranty repairs within the 3 month/1000Km of purchase date service period.

Jayco does not warrant for any failures or faults in camper tent sections or aluminium surfaces and joints if they have been subjected to after treatments (gloss finish protectants). This includes accidental contamination (for example: splashing or spray drift). Any such treatments or contaminants void Jayco's warranty on all affected parts.

5 YEAR STRUCTURAL

Further, Jayco warrants to the original purchaser of every RV that for a period of 5 YEARS from date of purchase under normal use and specified service, except for stated exclusions and the items listed under "What is not covered", and subject to compliance with the section entitled "What you must do":

- Jayco manufactured components will be leak free (silicone included); and
- the following will be free from defects in material and workmanship:
- all Jayco manufactured galvanised chassis components (excluding adjustments and rubber components);

- all Jayco manufactured suspension components including J-tech suspension (excluding adjustments and rubber components); and
- all Jayco manufactured walls and roofs (warranty limited to delamination, cracking, pitting and deformed cladding.

OUTBACK POLICY

Jayco's Outback range of RVs have been designed and constructed to give added strength and ground clearance, for limited unsealed road usage. Gas venting regulations and other construction restraints limit the effectiveness of these RVs against dust and water penetration. Under no circumstances should these RVs be exposed to water crossings at, or above, body floor level.

We strongly recommend towing at a safe speed according to travel conditions with extra care and attention required on uneven surfaces. Our Outback RVs are not designed for hard impact or heavy landings or rutted roads or tracks. Jayco's Outback RVs are not designed for use on four



wheel drive only tracks. As a consequently, they should not be used on such tracks. The best and safest policy may be to leave your RV at a base camp and explore the rough areas with your tow vehicle alone.

The following items for Outback RVs are not covered under Jayco's warranty:

- Impact or stone damage to body, chassis and running gear.
- Soiling of fabrics and internal fitments from dust or other airborne substances.
- Water damage due to creek crossings.
- Movement or damage caused by dislodgment of appliances and fittings resulting from use on corrugated or uneven surfaces.
- Use on roads or tracks described above as not being suitable.
- · General damage arising from misuse.

ADVENTURER POLICY

- Designed and constructed to give added strength, ground clearance and durability, for extended off-road usage.
- Gas venting regulations limit the effectiveness of these RVs against dust and water penetration.
- Under no circumstances should these RVs be exposed to water crossings at, or above floor level.
- We strongly recommend towing at an appropriate and safe speed according to road and weather conditions, with extra care and attention required on rough surfaces.
- Tyre pressures are an important factor in off-road travel and need to be adjusted accordingly.
- Jayco's Adventurer RVs are not designed for tight, undulating or extreme 4WD tracks that are unsuitable for trailers. Therefore should not be used on such tracks, and any damage that occurs from unreasonable use is not covered under warranty.
- The best and safest policy is to leave your RV at a base camp.

WHAT IS NOT COVERED:

- · Impact or stone damage to body
- Soiling of fabrics & internal fitments from dust, etc.
- Water ingress from floods or deep-water fording
- Wheel alignment, if affected by hard impacts
- Off-road use where road unsuitable for travel
- Damage, defect or failures as a result of modifications

SUPPLIED COMPONENTS

Some of the equipment and fittings supplied with your RV ("components") are not manufactured or imported by Jayco. Instead, these components are separately warranted by their individual manufacturer or importer. This may also be the case for products or options that you have chosen or specified.

Where this is the case for your RV, Jayco has placed copies of the applicable warranties and owner's manuals in your owner's packet. Please take the time to read this material to ensure that you are familiar with the components' operation, service procedures and warranty terms. The

fittings and equipment that may be separately warranted could include, without limitation:

- Cooking appliances;
- Microwave Ovens;
- AL-KO Suspension Components;
- Tyres;
- · Refrigerators;
- Rangehoods;
- · Toilets; and
- Weight distribution devices.
- Hot Water Service
- JTECH Air Suspension
- Fusion Stereo System

These separately warranted components are not covered by Jayco warranty. However, Jayco will assist you in making a warranty claim if you have difficulty with the manufacturer or importer.



Please note that the length of warranty periods for the separately warranted components and their terms may vary, depending on the item. If your Jayco RV has a factory installed Carefree Awning this is covered by the Jayco warranty and not by the USA manufacturer's warranty.

Subject to any rights you have at law which cannot be excluded, Jayco assumes no responsibility or liability for defects in workmanship or operation of separately warranted products for which you have been provided with separate warranty statements. The below key contacts have been provided to assist you further:

Dometic Australia Pty Ltd 1800 21 21 21 www.dometic.com/en-au/au/support/support-form

Thetford Australia (03) 9358 0700

www.thetford-europe.com/au/dealers-service-centres

Coast to Coast 1300 COAST RV

www.coastrv.com.au/contact-us

CAMEC Pty Ltd 1300 422 632

www.camec.com/contact-camec

ALKO International Pty Ltd (03) 9767 3700 www.alko.com.au/contact-us

Fusion Electronics Pty Ltd 1300 736 012 www.fusionentertainment.com/lifestyle/contact

Wireless Automation Systems Pty Ltd 0418 352 534 www.wirelessautomationsystems.com.au

OWNERS RESPONSIBILITY

As a new owner of a Jayco RV, you are responsible for regular and proper maintenance (refer Service Schedule in this booklet). This will help prevent conditions arising from neglect that are not covered by your Jayco Warranty.

At the time of delivery from your Jayco Dealer, the dealer's representative will log your information into our warranty system and issue a warranty customer delivery form.

Within 21 days Jayco will then issue you with a Customer Care Card.

This card is your guarantee of service throughout the warranty period if required. If this card is not presented at the time of repair, your JARSA may not be able to do the work under your warranty contract.

The original manual roof lifting winch installed in a Jayco camper trailer carries a lifetime warranty for the original purchaser only (this is not transferrable to a subsequent owner).

Under this warranty, if any part of your RV is proven to be defective in material or workmanship during the applicable warranty period Jayco will, at Its sole discretion, either:

- Replace or repair the RV or the defective part of the RV, or
- Cause the RV or defective part of the RV to be replaced or repaired by a Jayco dealer or authorised repairer

Warranty repair or parts replacement will be performed free of charge by an authorised Jayco dealer or repairer at its place of business within a reasonable time after delivery of the RV to the dealer or repairer during normal business hours.

Where an on-site repair is requested and such service is available, a service call fee is applicable at the expense of the owner.

Under this warranty no re-imbursements will be made for work done through unauthorised establishments without prior written consent from Jayco.



Jayco reserves the right to make RV changes and improvements without notice and without liability. Jayco has no obligation for warranty purposes to install the same components originally supplied, and where it is appropriate to do so shall instead install or supply current components of similar quality, grade and composition.

Goods presented for repair may be replaced by refurbished goods of the same type rather than being repaired. Refurbished parts may be used to repair the goods.

WHAT MUST YOU DO

As a new owner of a Jayco RV, you are responsible for regular and proper maintenance (Refer to Care and Maintenance section and Periodical Maintenance Schedules). This will help prevent conditions arising from neglect that are not covered by your Jayco Warranty. At the time of delivery from your Jayco Dealer, the dealer's representative will log your information

into our warranty system and issue a warranty customer delivery form.

Within 21 days Jayco will then issue you with a Customer Care Card.

This card is your guarantee of Service throughout the warranty period if required. If this card is not presented at the time of repair, your authorised Jayco dealer or repairer will be unable to do the work under your warranty contract.

If a problem arises, contact your nearest Jayco Dealer or Authorised Service Agent to make an appointment. If you are unable to locate a dealer or agent contact Jayco's Service Centre on the Toll Free Number on your Customer Care Card for the location of the nearest authorised agent.

You must make the RV available to the dealer or agent for Inspection and testing. If such inspection and testing finds no defect in the RV, you must pay the dealer or agent's usual costs of service work and testing.

YOUR JAYCO IDENTIFICATION

You will bear the costs of transporting the RV to and from the dealer or agent. You must deliver the RV to the dealer or agent during business hours or at the agreed time.

If you are in an area not covered by an authorised agent, work can only be carried out in an unauthorised workshop after prior written approval from Jayco's Service Centre.

Payment to the repairer could be required from the customer. If so, you should claim reimbursement from Jayco by forwarding the repairer's invoice with the Jayco chassis number noted and receipt for payment (copy thereof) together with Jayco's approval number. Prompt reporting of problems is essential. Please do not delay. Jayco will not accept any damage arising from not having faults attended to in a timely manner.

CONTACT

Jayco Australia Head Office P.O. Box 636, 1 Jayco Drive, Dandenong South, 3175, Victoria, Australia Phone (03) 8792 2136 Fax (03) 8792 2190 Email info@jayco.com.au

SCHEDULED SERVICE - 3 KEY AREAS



The Vehicle Identification Number (VIN) is the primary identifier for your Jayco RV. It is stamped on the chassis' A-Frame on the door side of the RV. The chassis number (which is the 'reference number' for your RV) is welded on the chassis' A-Frame on the door side of the RV.

The VIN plate also contains other model data such as the date of manufacture, Tare weight, tow ball weight, Tyre pressures, ATM (Aggregate trailer mass), GTM (Gross Trailer Mass).

Date of manufacture means the calendar month and year in which the RV was manufactured and released from the production line.

Regular maintenance is essential to maintaining the high-level performance, safety and reliability built into your Jayco. It also helps to protect your investment and to ensure many years of enjoyment with your new Jayco. The service schedule is based

on time or kilometre, whichever comes first.

JAYCO SCHEDULED SERVICE 3 KEY AREAS:

Travel Components

To get to your favourite destination in your Jayco RV, it is imperative to ensure the critical components of your Jayco RV are maintained to the highest standard and ensure continued safe travels in your Jayco RV.

RV Operation

Once you have arrived at your desired holiday destination, it is important all aspects of your Jayco RV are functioning correctly. Our service schedule has been designed to ensure these items are inspected so they perform when you are ready to use them.

SCHEDULED SERVICE - 3 KEY AREAS

Preventative Maintenance

We understand your new Jayco RV is a significant investment in your life. Preventative maintenance is carried out in each service to ensure an acceptable level of longevity for your Jayco RV.

SUMMARY OF TERMS

Check/Test

Required to activate the component or device as would a customer to determine its accuracy, quality, or condition, or to detect the presence of a potential fault or concern for the safe operation of the product/RV.

Inspect

Required to look at something closely, typically to assess the condition or discover any faults or concerns for the safety or quality of the product/RV.



Replace

Required to replace the component with a brand new, Jayco approved component.

Adjust

The scheduled service work (as detailed over the following pages) is not covered under the warranty and will incure costs except items within the schedule which are addressed because of defects in factor materials or workmanship.

ADDITIONAL COSTS

You will be required to pay for the following scheduled services, except where they are required as a result of defects in factory materials or workmanship.

Wheel alignments and wear items such as brakes, tyres and sealants are not covered by this service and may incur additional costs if the work is to be carried out by your JARSA.

TRAVEL COMPONENTS

Wheels and Tyres

- ☐ Check Tyre condition
- ☐ Check Tyre pressures
- ☐ Torque wheel nuts to 150nm (Alloy only)

Brakes

- ☐ Test brake magnets
- ☐ Inspect brake wires

Bearings

☐ Inspect bearings for end play and adjust if required

Suspension

- ☐ Check suspension mounts
- ☐ Grease suspension nipple

Handbrake & Coupling

- ☐ Adjust handbrake travel
- ☐ Check coupling bolt
- ☐ Re-grease coupling

Electronic Stability Control	 Air Conditioner (if genuine* fitted accessory)
☐ Check operation of Electronic Stability Control	☐ Gas Heater (if genuine* fitted accessory)
	☐ Hot Water Service (if genuine* fitted accessory)
Lights	☐ Generator (if genuine* fitted accessory)
□ Test indicators	☐ Stereo System head unit
□ Test brake lights	☐ Transformer
□ Test tail lights	
□ Test side markers	Television entertainment
	☐ Check operation of Windup antenna (if fitted)
Trailer plug	☐ Inspect TV bracket. Tighten if required
□ Check all pins in trailer plug	
	12v Electrical
Tow Secure	Lights
□ Check operation of tow secure and plug	☐ Check internal lights
	☐ Check Annexe light (including Grab Handle light where
RV OPERATION	applicable)
Check security of the following items:	☐ Check Rollout awning light (where applicable)
Major Appliances	
□ Fridge	240v Electrical
☐ Microwave	Circuit Breaker
□ Oven/Griller	☐ Inspect circuit breaker



Inlet/Outlet	☐ Check operation of hand pump
☐ Inspect 240v inlet	
☐ Inspect 240v outlet	Gas System
	☐ Inspect under body gas pipes
Plumbing System	
Mains pressure	Water Tanks
☐ Check mains pressure	☐ Check water tanks for leaks around welds and sensors
 □ Check operation of kitchen mixer □ Check operation of ensuite mixer (if applicable) □ Check operation of shower rose (if applicable) □ Check operation of external shower (if applicable) □ Check operation of external sink mixer (if applicable) □ Inspect water inlet 	Grey Water Tanks ☐ Check grey water tank for leaks around welds and sensors ☐ Check inlets for clearance Awning ☐ Check operation of Roll out awning
☐ Inspect water pipes for kinks	Slide Out System
	☐ Check operation of Slide out
12v Pump	'
☐ Check pressure on 12v Pump	Furniture
	Cabinets
Hand Pump	☐ Inspect cupboard latches

	Adjust hinges
	Check security
Dra	iwers
	Adjust drawer runners
	Check security
PR	EVENTATIVE MAINTENANCE
	Check operation of wind up system (Camper Trailers only
	Check operation of slide out beds (Camper Trailers only)
	Apply Specialist High performance silicone lubricant
	to bed tracks (Camper Trailers only)
	Check operation of fold out beds (Expanda Pop Top

ACKNO	VLEDGMENT OF SERVICE
JARSA:	
Custom	er Name:
Custom	er Signature:
Date:	
JARSA S	TAMP:

and Caravan only)



IK	AVEL COMPONENTS		bearings
Wh	eels and Tyres		Replace bearing seals
	Check Wheel alignment (JTECH Suspension only)		Replace split pin
	– Adjust if required.		
	Check Tyre condition	Sus	spension
	Check Tyre pressures		Check suspension bolts and mounts
	Torque wheel nuts to 150nm (Alloy only)		Grease suspension nipple
	Inspect Rim		Inspect JTECH Air (general)
	Check tyre size to vin plate		Check operation of JTECH air compressor
	Rotate Tyres		
		Ha	ndbrake & Coupling
Bra	kes		Adjust handbrake travel
	Test brake magnets		Check coupling bolt
	Inspect brake wires		Re-grease coupling
	Inspect brake pad condition		
		Cha	assis Miscellaneous
Bea	arings		Check chassis for rust
	Inspect bearings for end play and adjust if		Oil corner steadies
	required		Grease jockey wheel clamp
	Inspect bearings for uneven wear		Grease jockey wheel bearing
	Re-pack bearings with new grease/replace		

Electronic Stability Control	Major Appliances
☐ Check operation of Electronic Stability Control	Fridge
	☐ Test Gas operation (where applicable)
Lights	☐ Test 240v operation
☐ Test indicators	☐ Test 12v operation
	☐ Check security
TRAVEL COMPONENTS	☐ Check flue
□ Test brake lights	
□ Test tail lights	Microwave
☐ Test side markers	☐ Check operation
	☐ Check security
Trailer plug	
☐ Check all pins in trailer plug	Oven/Griller
	☐ Check Gas operation
Tow Secure	☐ Check 240v operation (where applicable)
☐ Check operation of tow secure and plug	☐ Check security
Reversing Camera	Air Conditioner (if genuine* fitted accessory)
☐ Check operation	☐ Check operation
	☐ Check security
RV OPERATION	☐ Check operation of remote control



Gas Heater (if genuine* fitted accessory)	Stereo System (if genuine* fitted accessory)
☐ Check operation	☐ Check operation of head unit
☐ Check security	☐ Check operation of CD player
☐ Check operation of remote control	☐ Check operation of internal speakers
☐ Check flue	☐ Check operation of external speakers
Hot Water Service (if genuine* fitted accessory) Television entertainment
☐ Check Gas operation	☐ Check operation of Windup antenna (if fitted)
☐ Check 240v operation	☐ Check operation of TV (if fitted)
☐ Replace anode	☐ Inspect TV bracket. Tighten if required
	☐ Check operation of remote control
Slide out BBQ (if genuine* fitted accessory)	☐ Check operation of Satellite system (if fitted)
☐ Check Gas operation	
	12v Electrical
Generator (if genuine* fitted accessory)	Transformer
☐ Inspect generator slide (if fitted)	☐ Check battery charging operation
☐ Check operation	
☐ Check fuel connections and service – see	Lights
manufacturers service manual for more	☐ Check internal lights
information	☐ Check Annexe light (including Grab Handle light where
☐ Check exhaust system security	applicable)

☐ Check Rollout awning light (where applicable)	☐ Check operation of ensuite mixer (if applicable)
	☐ Check operation of shower rose (if applicable)
Sockets	☐ Check operation of external shower (if applicable)
☐ Inspect external 12v socket (where applicable)	☐ Check operation of external sink mixer (if applicable)
☐ Inspect internal 12v socket (where applicable)	☐ Inspect water inlet
	☐ Inspect internal water pipes for kinks
240v Electrical	☐ Inspect under body hoses for kinks
Points	
□ Inspect 240v power points	12v Pump
	☐ Check pressure on 12v Pump
Circuit Breaker	☐ Check operation of kitchen mixer
□ Inspect circuit breaker	☐ Check operation of ensuite mixer (if applicable)
	☐ Check operation of shower rose (if applicable)
Inlet/Outlet	☐ Check operation of external shower (if applicable)
□ Inspect 240v inlet	☐ Check operation of external sink mixer (if applicable)
□ Inspect 240v outlet	☐ Inspect 12v Pump and filter
	☐ Inspect water pipes for kinks
Plumbing System	
Mains pressure	Hand Pump
□ Check mains pressure	☐ Check operation of hand pump
☐ Check operation of kitchen mixer	



Wa	ste	Awning				
	Inspect waste outlet and pipes to Kitchen sink	☐ Check operation of Roll out awning				
	Inspect waste outlet and pipes to ensuite sink (if	☐ Re-tension rollout awning if required				
	applicable)					
	Inspect waste outlet to external sink (if	Slide Out System				
	applicable)	☐ Check operation of Slide out				
	Inspect waste outlet to shower (if applicable)					
		Furniture				
Gas System		Cabinets				
	Inspect Gas bayonet (if fitted)	☐ Adjust cupboard latches				
	Inspect under body gas pipes	☐ Adjust hinges				
		☐ Check security				
Wa	ter Tanks					
	Check water tanks for leaks around welds and	Drawers				
	sensors	☐ Adjust drawer runners				
		☐ Check security				
Gre	y Water Tanks					
	Check grey water tank for leaks around welds	Miscellaneous				
	and sensors	Safety				
	Check inlets for clearance	$\hfill\square$ Replace battery to smoke alarm and check operation.				
		☐ Inspect fire extinguisher				

_or	npliance	Doc	or
	Inspect VIN plate		Inspect seals
	Inspect VIN number to A-Frame		Inspect screws
	Check tow ball weight		Inspect hinges
			Check alignment
PRI	EVENTATIVE MAINTENANCE		Lubricate locks
Ext	erior seals		
	Inspect roof seals	Fro	nt Boot
	Inspect window seals		Inspect seals
	Inspect accessory seals		Inspect screws
			Check operation of stays
Мο	isture test		Lubricate locks
	Conduct a moisture test throughout RV		
		Bag	ggage doors
Ext	ernal fitting		Inspect seals
Windows			Inspect screws
	Inspect seals		Lubricate locks
	Inspect screws		
	Check operation of stays	Picı	nic Table
	Check operation of blinds		Inspect screws
			Check operation of stays



	Lubricate locks				
Wii	Wind up system (Camper)				
	Check operation of wind up system				
	Re-grease mechanism				
	Inspect cables				
	Inspect raiser arms				
Pul	l out beds (Camper excl. Penguin)				
	Check operation of pull out beds.				
	Apply Specialist High performance silicone				
	lubricant to tracks.				
	Adjust tracks (if required)				
Expanda Bed					
	Check operation of pull out beds				

ACK	NOWLEDGMENT OF SERVICE
JAR	SA:
Cus	tomer Name:
Cus	tomer Signature:
Dat	e:
JAR	SA STAMP:

TRAVEL COMPONENTS			Replace Split pill
Wh	eels and Tyres		
	Check Wheel alignment (JTECH Suspension only) –	Sus	spension
	Adjust if required.		Check suspension bolts and mounts
	Check Tyre condition		Grease suspension nipple
	Check Tyre pressures		Inspect JTECH Air (general)
	Torque wheels nuts to 150nm (Alloy only)		Check operation of JTECH air compressor
	Inspect Rim		
	Check tyre size to vin plate	Ha	ndbrake & Coupling
	Rotate Tyres		Adjust handbrake travel
			Check coupling bolt
Bra	akes		Re-grease coupling
	Test brake magnets		
	Inspect brake wires	Cha	assis Miscellaneous
	Inspect brake pad condition		Check chassis for rust
			Oil corner steadies
Bearings			Grease jockey wheel clamp
	Inspect bearings for end play and adjust if required		Grease jockey wheel bearing
	Inspect bearings for uneven wear		
	Re-pack bearings with new grease/replace bearings	Ele	ctronic Stability Control
	Replace bearing seals		Check operation of Electronic Stability Control

☐ Doplace calitain

TRAVEL COMPONENTS



Lights			Check security
	Test indicators		Check flue
	Test brake lights		
	Test tail lights	Mic	crowave
	Test side markers		Check operation
			Check security
Tra	iler plug		
	Check all pins in trailer plug	Ove	en/Griller
			Check Gas operation
Tow Secure			Check 240v operation (where applicable)
	Check operation of tow secure and plug		Check security
Reversing Camera		Air	Conditioner (if genuine* fitted accessory)
	Check operation		Check operation
			Check security
RV OPERATION			Check operation of remote control
Ma	jor Appliances		
Fridge		Gas	s Heater (if genuine* fitted accessory)
	Test Gas operation (where applicable)		Check operation
	Test 240v operation		Check security
	Test 12v operation		Check operation of remote control

Check flue		Check operation of external speakers
Water Service (if genuine* fitted accessory)	Tel	evision entertainment
Check Gas operation		Check operation of Windup antenna (if fitted)
Check 240v operation		Check operation of TV (if fitted)
Replace anode		Inspect TV bracket. Tighten if required
		Check operation of remote control
Slide out BBQ (if genuine* fitted accessory)		Check operation of Satellite system (if fitted)
Check Gas operation		
	12\	Electrical
Generator (if genuine* fitted accessory)		nsformer
Inspect generator slide (if fitted)		Check battery charging operation
Check operation		
Check fuel connections and service – see	Lig	nts
manufacturers service manual for more information		Check internal lights
Check exhaust system security		Check Annexe light (including Grab Handle light where applicable)
Stereo System (if genuine* fitted accessory)		Check Rollout awning light (where applicable)
Check operation of head unit		
Check operation of CD player	Soc	kets
Check operation of internal speakers		Inspect external 12v socket (where applicable)
	Water Service (if genuine* fitted accessory) Check Gas operation Check 240v operation Replace anode e out BBQ (if genuine* fitted accessory) Check Gas operation erator (if genuine* fitted accessory) Inspect generator slide (if fitted) Check operation Check fuel connections and service — see manufacturers service manual for more information Check exhaust system security	Water Service (if genuine* fitted accessory) Check Gas operation Check 240v operation Replace anode e out BBQ (if genuine* fitted accessory) Check Gas operation 12verator (if genuine* fitted accessory) Inspect generator slide (if fitted) Check operation Check fuel connections and service — see manufacturers service manual for more information Check exhaust system security reo System (if genuine* fitted accessory) Check operation of head unit Check operation of CD player Soc



	Inspect internal 12v socket (where applicable)		Check operation of external sink mixer (if applicable)
			Inspect water inlet
240	Ov Electrical		Inspect internal water pipes for kinks
Poi	nts		Inspect under body hoses for kinks
	Inspect 240v power points		
		12	v Pump
Circ	cuit Breaker		Check pressure on 12v Pump
	Inspect circuit breaker		Check operation of kitchen mixer
			Check operation of ensuite mixer (if applicable)
Inle	et/Outlet		Check operation of shower rose (if applicable)
	Inspect 240v inlet		Check operation of external shower (if applicable)
	Inspect 240v outlet		Check operation of external sink mixer (if applicable)
			Inspect 12v Pump and filter
Plu	mbing System		Inspect water pipes for kinks
Ma	ins pressure		
	Check mains pressure	Hai	nd Pump
	Check operation of kitchen mixer		Check operation of hand pump
	Check operation of ensuite mixer (if applicable)		
	Check operation of shower rose (if applicable)	Wa	ste
	Check operation of external shower (if		Inspect waste outlet and pipes to Kitchen sink
	applicable)		Inspect waste outlet and pipes to ensuite sink (if

	applicable)		Check operation of Slide out
	Inspect waste outlet to external sink (if applicable)		
	Inspect waste outlet to shower (if applicable)	Fu	rniture
		Cal	pinets
Gas	s System		Adjust cupboard latches
	Inspect Gas bayonet (if fitted)		Adjust hinges
	Inspect under body gas pipes		Check security
Wa	ter Tanks	Dra	awers
	Check water tanks for leaks around welds and sensors		Adjust drawer runners
			Check security
Gre	ey Water Tanks		
	Check grey water tank for leaks around welds and	Mis	scellaneous
	sensors	Sat	ety
	Check inlets for clearance		Replace battery to smoke alarm and check operation.
			Inspect fire extinguisher
Αw	ning		
	Check operation of Roll out awning	Co	mpliance
	Re-tension rollout awning if required		Inspect VIN plate
			Inspect VIN number to A-Frame
Slic	de Out System		Check tow hall weight



PRI	EVENTATIVE MAINTENANCE		Lubricate locks
Ext	erior seals		
	Inspect roof seals	Fro	nt Boot
	Inspect window seals		Inspect seals
	Inspect accessory seals		Inspect screws
			Check operation of stays
Мо	isture test		Lubricate locks
	Conduct a moisture test throughout RV		
		Bag	ggage doors
Ext	ernal fitting		Inspect seals
Wii	ndows		Inspect screws
	Inspect seals		Lubricate locks
	Inspect screws		
	Check operation of stays	Pic	nic Table
	Check operation of blinds		Inspect screws
			Check operation of stays
Do	or		Lubricate locks
	Inspect seals		
	Inspect screws	Wii	nd up system (Camper)
	Inspect hinges		Check operation of wind up system
	Check alignment		Re-grease mechanism

	Inspect cables Inspect raiser arms
Pul	l out beds (Camper excl. Penguin)
	Check operation of pull out beds.
	Apply Specialist High performance silicone lubricant to tracks.
	Adjust tracks (if required)
Exp	anda Bed Check operation of pull out beds

ACKNOWLEDGMENT OF SERVICE
JARSA:
Customer Name:
Customer Signature:
Date:
JARSA STAMP:



TR/	AVEL COMPONENTS		bearings
Wh	eels and Tyres		Replace bearing seals
	Check Wheel alignment (JTECH Suspension only)		Replace split pin
	- Adjust if required.		
	Check Tyre condition	Sus	spension
	Check Tyre pressures		Check suspension bolts and mounts
	Torque wheel nuts to 150nm (Alloy only)		Grease suspension nipple
	Inspect Rim's		Inspect JTECH Air (general)
	Check tyre size to vin plate		Check operation of JTECH air compressor
	Rotate Tyres		
		Hai	ndbrake & Coupling
Bra	kes		Adjust handbrake travel
	Test brake magnets		Check coupling bolt
	Inspect brake wires		Re-grease coupling
	Inspect brake pad condition		
		Cha	assis Miscellaneous
Bea	arings		Check chassis for rust
	Inspect bearings for end play and adjust if		Oil corner steadies
	required		Grease jockey wheel clamp
	Inspect bearings for uneven wear		Grease jockey wheel bearing
	Re-pack bearings with new grease/replace		

Electronic Stability Control	☐ Test Gas operation (where applicable)
☐ Check operation of Electronic Stability Control	☐ Test 240v operation
	☐ Test 12v operation
Lights	☐ Check security
☐ Test indicators	☐ Check flue
□ Test brake lights	
□ Test tail lights	Microwave
☐ Test side markers	☐ Check operation
	☐ Check security
Trailer plug	
□ Check all pins in trailer plug	Oven/Griller
	☐ Check Gas operation
Tow Secure	☐ Check 240v operation (where applicable)
☐ Check operation of tow secure and plug	☐ Check security
Reversing Camera	Air Conditioner (if genuine* fitted accessory)
□ Check operation	☐ Check operation
	☐ Check security
RV OPERATION	☐ Check operation of remote control
Major Appliances	

Fridge



Gas	s Heater (if genuine* fitted accessory)	Ste	reo System (if genuine* fitted accessory)
	Check operation		Check operation of head unit
	Check security		Check operation of CD player
	Check operation of remote control		Check operation of internal speakers
	Check flue		Check operation of external speakers
Hot	t Water Service (if genuine* fitted accessory)		Television entertainment
	Check Gas operation		Check operation of Windup antenna (if fitted)
	Check 240v operation		Check operation of TV (if fitted)
	Replace anode		Inspect TV bracket. Tighten if required
			Check operation of remote control
Slic	de out BBQ (if genuine* fitted accessory)		Check operation of Satellite system (if fitted)
	Check Gas operation		
		12	v Electrical
Ger	nerator (if genuine* fitted accessory)	Tra	nsformer
	Inspect generator slide (if fitted)		Check battery charging operation
	Check operation		
	Check fuel connections and service – see	Lig	hts
	manufacturers service manual for more		Check internal lights
	information		Check Annexe light (including Grab Handle light where
	Check exhaust system security		applicable)

☐ Check Rollout awning light (where applicable)	☐ Check operation of ensuite mixer (if applicable)
	☐ Check operation of shower rose (if applicable)
Sockets	☐ Check operation of external shower (if applicable)
☐ Inspect external 12v socket (where applicable)	☐ Check operation of external sink mixer (if applicable)
☐ Inspect internal 12v socket (where applicable)	☐ Inspect water inlet
	☐ Inspect internal water pipes for kinks
240v Electrical	☐ Inspect under body hoses for kinks
Points	
□ Inspect 240v power points	12v Pump
	☐ Check pressure on 12v Pump
Circuit Breaker	☐ Check operation of kitchen mixer
□ Inspect circuit breaker	☐ Check operation of ensuite mixer (if applicable)
	☐ Check operation of shower rose (if applicable)
Inlet/Outlet	☐ Check operation of external shower (if applicable)
□ Inspect 240v inlet	☐ Check operation of external sink mixer (if applicable)
□ Inspect 240v outlet	☐ Inspect 12v Pump and filter
	☐ Inspect water pipes for kinks
Plumbing System	
Mains pressure	Hand Pump
□ Check mains pressure	☐ Check operation of hand pump
☐ Check operation of kitchen mixer	



Wa	ste	Awning
	Inspect waste outlet and pipes to Kitchen sink	☐ Check operation of Roll out awning
	Inspect waste outlet and pipes to ensuite sink (if applicable)	☐ Re-tension rollout awning if required
	Inspect waste outlet to external sink (if	Slide Out System
	applicable)	☐ Check operation of Slide out
	Inspect waste outlet to shower (if applicable)	
		Furniture
Gas	System	Cabinets
	Inspect Gas bayonet (if fitted)	☐ Adjust cupboard latches
	Inspect under body gas pipes	☐ Adjust hinges
		☐ Check security
Wa	ter Tanks	
	Check water tanks for leaks around welds and	Drawers
	sensors	☐ Adjust drawer runners
		☐ Check security
Gre	y Water Tanks	
	Check grey water tank for leaks around welds	Miscellaneous
	and sensors	Safety
	Check inlets for clearance	\square Replace battery to smoke alarm and check operation.
		☐ Inspect fire extinguisher

Compliance	Door
□ Inspect VIN plate	☐ Inspect seals
☐ Inspect VIN number to A-Frame	☐ Inspect screws
☐ Check tow ball weight	☐ Inspect hinges
	☐ Check alignment
PREVENTATIVE MAINTENANCE	☐ Lubricate locks
Exterior seals	
☐ Inspect roof seals	Front Boot
□ Inspect window seals	☐ Inspect seals
☐ Inspect accessory seals	☐ Inspect screws
	☐ Check operation of stays
Moisture test	☐ Lubricate locks
☐ Conduct a moisture test throughout RV	
	Baggage doors
External fitting	☐ Inspect seals
Windows	☐ Inspect screws
□ Inspect seals	☐ Lubricate locks
☐ Inspect screws	
☐ Check operation of stays	Picnic Table
☐ Check operation of blinds	☐ Inspect screws
	☐ Check operation of stays



Wind up system (Camper) ☐ Check operation of wind up system
\square Check operation of wind up system
☐ Re-grease mechanism
☐ Inspect cables
☐ Inspect raiser arms
Pull out beds (Camper excl. Penguin)
\square Check operation of pull out beds.
☐ Apply Specialist High performance silicone
lubricant to tracks.
☐ Adjust tracks (if required)
Expanda Bed
☐ Check operation of pull out beds

ACKNO	WLEDGMENT OF SERVICE
JARSA:	
Custom	ner Name:
Custom	ner Signature:
Date:	
JARSA S	STAMP:

IRAVEL CUMPUNENTS		Ш	Replace split pin
Νh	eels and Tyres		
	Check Wheel alignment (JTECH Suspension only) –	Sus	pension
	Adjust if required.		Check suspension bolts and mounts
	Check Tyre condition		Grease suspension nipple
	Check Tyre pressures		Inspect JTECH Air (general)
	Torque wheel nuts to 150nm (Alloy only)		Check operation of JTECH air compressor
	Inspect Rim		
	Check tyre size to vin plate	Har	ndbrake & Coupling
	Rotate Tyres		Adjust handbrake travel
			Check coupling bolt
3ra	kes		Re-grease coupling
	Test brake magnets		
	Inspect brake wires	Cha	assis Miscellaneous
	Inspect brake pad condition		Check chassis for rust
			Oil corner steadies
Зеа	arings		Grease jockey wheel clamp
	Inspect bearings for end play and adjust if required		Grease jockey wheel bearing
	Inspect bearings for uneven wear		
	Re-pack bearings with new grease/replace bearings	Ele	ctronic Stability Control
	Replace bearing seals		Check operation of Electronic Stability Contro



Lights			Check security
	Test indicators		Check flue
	Test brake lights		
	Test tail lights	Mic	rowave
	Test side markers		Check operation
			Check security
Tra	iler plug		
	Check all pins in trailer plug	Ove	en/Griller
			Check Gas operation
Tov	v Secure		Check 240v operation (where applicable)
	Check operation of tow secure and plug		Check security
Rev	versing Camera	Air	Conditioner (if genuine* fitted accessory)
	Check operation		Check operation
			Check security
RV	OPERATION		Check operation of remote control
Ma	jor Appliances		
Fric	dge	Gas	Heater (if genuine* fitted accessory)
	Test Gas operation (where applicable)		Check operation
	Test 240v operation		Check security
П	Test 12v operation	П	Check operation of remote control

☐ Check flue	☐ Check operation of external speakers
Hot Water Service (if genuine* fitted accessory)	Television entertainment
□ Check Gas operation	☐ Check operation of Windup antenna (if fitted)
□ Check 240v operation	☐ Check operation of TV (if fitted)
□ Replace anode	☐ Inspect TV bracket. Tighten if required
	☐ Check operation of remote control
Slide out BBQ (if genuine* fitted accessory)	☐ Check operation of Satellite system (if fitted)
□ Check Gas operation	
	12v Electrical
Generator (if genuine* fitted accessory)	Transformer
☐ Inspect generator slide (if fitted)	☐ Check battery charging operation
□ Check operation	
☐ Check fuel connections and service – see	Lights
manufacturers service manual for more information	☐ Check internal lights
☐ Check exhaust system security	 Check Annexe light (including Grab Handle light where applicable)
Stereo System (if genuine* fitted accessory)	☐ Check Rollout awning light (where applicable)
□ Check operation of head unit	
□ Check operation of CD player	Sockets
□ Check operation of internal speakers	☐ Inspect external 12v socket (where applicable)



	Inspect internal 12v socket (where applicable)		Check operation of external sink mixer (if applicable)
			Inspect water inlet
240	Ov Electrical		Inspect internal water pipes for kinks
Poi	nts		Inspect under body hoses for kinks
	Inspect 240v power points		
		12	v Pump
Circ	cuit Breaker		Check pressure on 12v Pump
	Inspect circuit breaker		Check operation of kitchen mixer
			Check operation of ensuite mixer (if applicable)
Inle	et/Outlet		Check operation of shower rose (if applicable)
	Inspect 240v inlet		Check operation of external shower (if applicable)
	Inspect 240v outlet		Check operation of external sink mixer (if applicable)
			Inspect 12v Pump and filter
Plu	mbing System		Inspect water pipes for kinks
Ma	ins pressure		
	Check mains pressure	Hai	nd Pump
	Check operation of kitchen mixer		Check operation of hand pump
	Check operation of ensuite mixer (if applicable)		
	Check operation of shower rose (if applicable)	Wa	ste
	Check operation of external shower (if		Inspect waste outlet and pipes to Kitchen sink
	applicable)		Inspect waste outlet and nines to ensuite sink (if

	applicable)	Sli	de Out System
	Inspect waste outlet to external sink (if applicable)		Check operation of Slide out
	Inspect waste outlet to shower (if applicable)		
		Fu	rniture
Gas	s System	Ca	binets
	Inspect Gas bayonet (if fitted)		Adjust cupboard latches
	Inspect under body gas pipes		Adjust hinges
			Check security
Na	ter Tanks		
	Check water tanks for leaks around welds and sensors	Dr	awers
			Adjust drawer runners
Gre	ey Water Tanks		Check security
	Check grey water tank for leaks around welds and		
	sensors	Mi	scellaneous
	Check inlets for clearance	Sa	fety
			Replace battery to smoke alarm and check operation.
٩w	ning		Inspect fire extinguisher
	Check operation of Roll out awning		
	Re-tension rollout awning if required	Со	mpliance
			Inspect VIN plate
			Inspect VIN number to A-Frame



	Check tow ball weight		Inspect hinges
			Check alignment
PRE	EVENTATIVE MAINTENANCE		Lubricate locks
Ext	erior seals		
	Inspect roof seals	Fro	nt Boot
	Inspect window seals		Inspect seals
	Inspect accessory seals		Inspect screws
			Check operation of stays
Moi	isture test		Lubricate locks
	Conduct a moisture test throughout RV		
		Bag	ggage doors
Ext	ernal fitting		Inspect seals
Wir	ndows		Inspect screws
	Inspect seals		Lubricate locks
	Inspect screws		
	Check operation of stays	Pic	nic Table
	Check operation of blinds		Inspect screws
			Check operation of stays
Doc	or		Lubricate locks
	Inspect seals		
	Inspect screws		

Wir	nd up system (Camper)
	Check operation of wind up system
	Re-grease mechanism
	Inspect cables
	Inspect raiser arms
Pul	l out beds (Camper excl. Penguin)
	Check operation of pull out beds.
	Apply Specialist High performance silicone
	lubricant to tracks.
	Adjust tracks (if required)
Ехр	anda Bed
	Check operation of pull out beds

ACKNOWLEDGMENT OF SERVICE
JARSA:
Customer Name:
Customer Signature:
Date:
JARSA STAMP:



TRAVEL CUMPUNENTS			bearings
Wheels and Tyres			Replace bearing seals
	Check Wheel alignment (JTECH Suspension only)		Replace split pin
	- Adjust if required.		
	Check Tyre condition	Sus	spension
	Check Tyre pressures		Check suspension bolts and mounts
	Torque wheel nuts to 150nm (Alloy only)		Grease suspension nipple
	Inspect Rim		Inspect JTECH Air (general)
	Check tyre size to vin plate		Check operation of JTECH air compressor
	Tyre Rotation		
		Ha	ndbrake & Coupling
Bra	kes		Adjust handbrake travel
	Test brake magnets		Check coupling bolt
	Inspect brake wires		Re-grease coupling
	Inspect brake pad condition		
		Cha	assis Miscellaneous
Bea	arings		Check chassis for rust
	Inspect bearings for end play and adjust if		Oil corner steadies
	required		Grease jockey wheel clamp
	Inspect bearings for uneven wear		Grease jockey wheel bearing
	Re-pack bearings with new grease/replace		

Electronic Stability Control	☐ Test 240v operation
☐ Check operation of Electronic Stability Control	☐ Test 12v operation
	☐ Check security
Lights	☐ Check flue
☐ Test indicators	
□ Test brake lights	Microwave
□ Test tail lights	☐ Check operation
☐ Test side markers	☐ Check security
Trailer plug	Oven/Griller
☐ Check all pins in trailer plug	☐ Check Gas operation
	☐ Check 240v operation (where applicable
Tow Secure	☐ Check security
☐ Check operation of tow secure and plug	
	Air Conditioner (if genuine* fitted accessory)
Reversing Camera	☐ Check operation
☐ Check operation	☐ Check security
	☐ Check operation of remote control
RV OPERATION	
Major Appliances	Gas Heater (if genuine* fitted accessory)
-ridge	☐ Check operation
☐ Test Gas operation (where applicable)	☐ Check security



☐ Check or	peration of remote control		Check operation of CD player
☐ Check flu	ue		Check operation of internal speakers
			Check operation of external speakers
Hot Water Se	ervice (if genuine* fitted accessory)		
☐ Check Ga	as operation	Tel	evision entertainment
☐ Check 24	40v operation		Check operation of Windup antenna (if fitted)
□ Replace	anode		Check operation of TV (if fitted)
			Inspect TV bracket. Tighten if required
Slide out BB0	Q (if genuine* fitted accessory)		Check operation of remote control
☐ Check Ga	as operation		Check operation of Satellite system (if fitted)
Camaratar (i	5	1 2	
	f genuine* fitted accessory)		v Electrical
☐ Inspect	generator slide (if fitted)	Tra	nsformer
☐ Check of	peration		Check battery charging operation
☐ Check fu	ıel connections and service – see		
manufa	cturers service manual for more	Lig	hts
informa	tion		Check internal lights
☐ Check ex	khaust system security		Check Annexe light (including Grab Handle light where applicable)
Stereo Syste	m (if genuine* fitted accessory)		Check Rollout awning light (where applicable)
☐ Check or	peration of head unit		

Sockets	☐ Check operation of external shower (if applicable)
☐ Inspect external 12v socket (where applicable)	☐ Check operation of external sink mixer (if applicable)
☐ Inspect internal 12v socket (where applicable)	☐ Inspect water inlet
	☐ Inspect internal water pipes for kinks
240v Electrical	☐ Inspect under body hoses for kinks
Points	
☐ Inspect 240v power points	12v Pump
	☐ Check pressure on 12v Pump
Circuit Breaker	☐ Check operation of kitchen mixer
□ Inspect circuit breaker	☐ Check operation of ensuite mixer (if applicable)
	☐ Check operation of shower rose (if applicable)
nlet/Outlet	☐ Check operation of external shower (if applicable)
□ Inspect 240v inlet	☐ Check operation of external sink mixer (if applicable)
□ Inspect 240v outlet	☐ Inspect 12v Pump and filter
	☐ Inspect water pipes for kinks
Plumbing System	
Mains pressure	Hand Pump
☐ Check mains pressure	☐ Check operation of hand pump
☐ Check operation of kitchen mixer	
☐ Check operation of ensuite mixer (if applicable)	
☐ Check operation of shower rose (if applicable)	



Waste		Awning			
	nspect waste outlet and pipes to Kitchen sink		Check operation of Roll out awning		
	nspect waste outlet and pipes to ensuite sink (if applicable)		Re-tension rollout awning if required		
	nspect waste outlet to external sink (if	Sli	de Out System		
а	applicable)		Check operation of Slide out		
	nspect waste outlet to shower (if applicable)				
		Fui	rniture		
Gas System		Cabinets			
	nspect Gas bayonet (if fitted)		Adjust cupboard latches		
	nspect under body gas pipes		Adjust hinges		
			Check security		
Wate	er Tanks				
	Check water tanks for leaks around welds and	Dra	awers		
S	sensors		Adjust drawer runners		
			Check security		
Grey	Water Tanks				
	Check grey water tank for leaks around welds	Mis	scellaneous		
а	and sensors	Saf	fety		
	Check inlets for clearance		Replace battery to smoke alarm and check operation.		
			Inspect fire extinguisher		

اا	mpuance	טטע	or	
	Inspect VIN plate		Inspect seals	
	Inspect VIN number to A-Frame		Inspect screws	
	Check tow ball weight		Inspect hinges	
			Check alignment	
PREVENTATIVE MAINTENANCE			Lubricate locks	
Ext	cerior seals			
	Inspect roof seals (re-seal if required)	Fro	ont Boot	
	Inspect window seals (re-seal if required)		Inspect seals	
	Inspect accessory seals (re-seal if required)		Inspect screws	
			Check operation of stays	
Мо	isture test		Lubricate locks	
	Conduct a moisture test throughout RV			
		Bag	ggage doors	
Ext	ernal fitting		Inspect seals	
Wi	ndows		Inspect screws	
	Inspect seals		Lubricate locks	
	Inspect screws			
	Check operation of stays	Pic	nic Table	
	Check operation of blinds		Inspect screws	
			Check operation of stays	

☐ Lubricate locks
Wind up system (Camper)

☐ Check operation of wind up system



	, , , , , , , , , , , , , , , , , , , ,			
	Re-grease mechanism			
	Inspect cables			
	Inspect raiser arms			
Pul	l out beds (Camper excl. Penguin)			
	Check operation of pull out beds.			
	Apply Specialist High performance silicone			
	lubricant to tracks.			
	Adjust tracks (if required)	ACKNOWLEDGMENT OF SERVICE		
		JARSA:		
Expanda Bed		Customer Name:		
	Check operation of pull out beds			
		Customer Signature:		
		Date:		
		JARSA STAMP:		
		I .		

CHANGE OF OWNERSHIP DETAILS

If your name or address has changed or you are the new owner of this Jayco, please provide your registration papers to Jayco Head Office by contacting 03 8792 2136 or emailing a copy to info@jayco.com.au.

This will allow Jayco to make a record of the changes in ownership details of this RV and to contact you with any important product or safety updates concerning your RV. Jayco may provide your details to a mailing house for the purposes set out above.

